


AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A 2, 3-dihydro-6-nitroimidazo[2,1-b] oxazole compound represented by the following general formula (1), an optically active form thereof, or a pharmacologically acceptable salt thereof:



wherein R¹ represents a hydrogen atom, or a C1-C6 alkyl group,

n represents an integer between 0 and 6,

R¹ and -(CH₂)_nR² may bind to each other together with carbon atoms adjacent thereto, so as to form a spiro ring represented by the following general formula (30):



wherein RRR represents a piperidyl group [wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], and

R² represents a group described in any one of the following (a) to (y):

(a) a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one piperidyl group may be substituted (wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)));

(b) a benzothiazolyloxy group (wherein, on the benzothiazole ring, at least one selected from the group consisting of the following (b-1) to (b-5) may be substituted:

(b-1) a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted],

(b-2) a piperazinyl group [wherein, on the piperazine ring, at least one selected from the group consisting of a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl group of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl group of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a phenyl group (wherein, on [[the]] a phenyl group of the phenyl group, at least one selected from the group

consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), may be substituted],

(b-3) a piperidyl group [wherein, on the piperidine ring, at least one selected from the group consisting of an amino group (wherein, on the amino group, at least one selected from the group consisting of a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted] and a C1-C6 alkyl group may be substituted), a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), may be substituted],

(b-4) a pyrrolyl group [wherein, on the pyrrole ring, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted], and

(b-5) a phenylthio group (wherein, on [[the]] a phenyl ring, of the phenylthio group at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted));

(c) a quinolyloxy group (wherein, on the quinoline ring, at least one selected from the group consisting of the following (c-1) to (c-4) may be substituted:

(c-1) a halogen atom,

(c-2) a phenoxy group [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted],

(c-3) a piperazinyl group [wherein, on the piperazine ring, at least one selected from the group consisting of a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring, of the phenyl C1-C6 alkyl group at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one group selected from the group consisting of a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], and a phenyl C2-C6 alkenyl

group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], and

(c-4) a piperidyl group [wherein, on the piperidine ring, at least one selected from the following group may be substituted: an amino group (wherein, on the amino group, at least one selected from the group consisting of a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted] and a C1-C6 alkyl group may be substituted); a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a C1-C4 alkylenedioxy group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenyl C1-C6 alkoxy group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting

of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a naphthyl C1-C6 alkyl group; and a phenyl C1-C6 alkylidene group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkylidene group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted));

(d) a pyridyloxy group (wherein, on the pyridine ring, at least one selected from the group consisting of the following (d-1) and (d-2) may be substituted:

(d-1) a piperidyl group [wherein, on the piperidine ring, at least one selected from the group consisting of a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy substituted C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenoxy C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-

C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), may be substituted]; and

(d-2) a piperazinyl group [wherein, on the piperazine ring, at least one selected from the group consisting of a C1-C6 alkoxycarbonyl group, a furyl C1-C6 alkyl group [wherein, on the furan ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], a pyridyl C1-C6 alkyl group [wherein, on the pyridine ring, at least one selected from the group consisting of a furyl group and a phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], a benzothienyl C1-C6 alkyl group (wherein, on the benzothiophene ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a benzofuryl C1-C6 alkyl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; and

substituted], a benzofuryl C2-C6 alkenyl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a thiazolyl C1-C6 alkyl group [wherein, on the thiazole ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], a phenoxy C1-C6 alkyl group (wherein on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), an indolyl C1-C6 alkyl group (wherein, on the indole ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a benzofuryl group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted);

(e) a 1,2,3,4-tetrahydroquinolinyloxy group (wherein, on the 1,2,3,4-tetrahydroquinoline ring, at least one selected from the group consisting of an oxo group, a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or

unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], and a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], may be substituted);

(f) a 1,2,3,4-tetrahydronaphthyl group (wherein, on the 1,2,3,4-tetrahydronaphthalene ring, at least one oxo group may be substituted);

(g) a 2H-chromenyloxy group (wherein, on the 2H-chromene ring, at least one oxo group may be substituted);

(h) a naphthyl group (wherein, on the naphthalene ring, at least one piperidyl group may be substituted [wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted))];

(i) a 1,2,3,4-tetrahydroisoquinolyloxy group (wherein, on the 1,2,3,4-tetrahydroisoquinoline ring, at least one selected from the group consisting of a C1-C6 alkoxycarbonyl group, a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], and a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from

the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], may be substituted);

(j) a group $-NR^{22}R^{23}$ (wherein R^{22} represents a hydrogen atom or C1-C6 alkyl group, and R^{23} represents at least one selected from the following (j-1) to (j-5):

(j-1) a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one piperidyl group is substituted (wherein, on the piperidine ring, at least one phenoxy group may be substituted [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]],

(j-2) a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one group selected from the group consisting of a piperidyl group (wherein, on the piperidine ring, a phenoxy group is substituted [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)] and a group $-NR^{24}R^{25}$ (wherein R^{24} represents a hydrogen atom or C1-C6 alkyl group, and R^{25} represents a phenyl C2-C6 alkenyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], is substituted],

(j-3) a piperidyl C1-C6 alkyl group [wherein, on the piperidine ring, at least one phenyl group is substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)],

(j-4) a thiazolyl group [wherein, on the thiazole ring, at least one group selected from the group consisting of a phenyl group (wherein, on [[the]] a phenyl ring, of the phenyl group at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a piperazinyl C1-C6 alkyl group (wherein, on the piperazine ring, at least one phenyl group may be substituted [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], and a piperidyl C1-C6 alkyl group (wherein, on the piperidine ring, at least one phenoxy group may be substituted [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]), may be substituted], and

(j-5) a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted));

(k) a benzoxazolyloxy group (wherein, on the benzoxazole ring/ at least one selected from the group consisting of a piperazinyl group [wherein, on the piperazine ring, at least one selected from the group consisting of a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), may be substituted], a piperidyl group (wherein, on the piperidine ring, at least one selected from the group consisting of a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted] and an amino group [wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted], and a phenyl group, [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom,

a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], may be substituted);

(l) a benzoimidazolyloxy group (wherein, on the benzoimidazole ring, at least one selected from the group consisting of a C1-C6 alkyl group, a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a piperidyl group [wherein, on the piperidine ring, at least one phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group and a halogen substituted or unsubstituted C1-C6 alkoxy group may be substituted) may be substituted], a piperazinyl group [wherein, on the piperazine ring, at least one phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group and a halogen substituted or unsubstituted C1-C6 alkoxy group may be substituted) may be substituted] and a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], may be substituted);

(m) a 1,2,3,4-tetrahydroisoquinolyl group (wherein, on the 1,2,3,4-tetrahydroisoquinoline ring, at least one selected from the group consisting of the following (m-1) and (m-2) may be substituted:

(m-1) an amino group [wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group, a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), may be substituted] and

(m-2) a phenoxy group [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]];

(n) a piperidyl group (wherein, on the piperidine ring, at least one selected from the group consisting of the following (n-1) to (n-4) may be substituted:

(n-1) a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one group -NR²⁶R²⁷ is substituted (wherein R²⁶ represents a hydrogen atom or C1-C6 alkyl group, and R²⁷ represents a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]]],

(n-2) a group -W₁NR²⁸R²⁹ [wherein W₁ represents a C1-C6 alkylene group, R²⁸ represents a hydrogen atom or C1-C6 alkyl group, and R²⁹ represents a

phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)],

(n-3) a C1-C6 alkoxy group wherein two phenyl groups are substituted [wherein, on [[the]] a phenyl ring of the two phenyl groups, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], and

(n-4) a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl group ring of the phenyl C1-C6 alkyl group, at least one phenyl group is substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted))];

(o) a piperazinyl group (wherein, on the piperazine ring, at least one selected from the following group is substituted: a C1-C6 alkyl group wherein two phenyl groups are substituted [wherein, on [[the]] a phenyl ring of the two phenyl groups, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one phenoxy group is substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or

unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, is substituted)), a thiazolyl group (wherein, on the thiazole ring, at least one phenyl group may be substituted), a phenoxy C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl C2-C6 alkenyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, is substituted], and an imidazolyl group [wherein, on the imidazole ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted))];

(p) a thiazolyl C1-C6 alkoxy group (wherein, on the thiazole ring, at least one type selected from the group consisting of the following (p-1) to (p-5) may be substituted:

(p-1) a phenoxy C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one-selected from the group consisting of a

halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted],

(p-2) an anilino C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the anilino C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted],

(p-3) a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted],


(p-4) a piperazinyl C1-C6 alkyl group [wherein, on the piperazine ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], and

(p-5) a piperidyl C1-C6 alkyl group [wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted))];

(q) an 8-azabicyclo[3.2.1]octyl group (wherein, on the 8-azabicyclo[3,2,1]octane ring, at least one phenoxy group may be substituted [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group

consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted));


(r) a group represented by the following chemical formula (31):



[wherein X represents a halogen atom, or an amino substituted C1-C6 alkyl group which may have a C1-C6 alkyl group as a substituent, m represents an integer between 0 and 3, and R^3 represents a group described in any one of the following (i) to (xxii):

(i) a group $-(W)-o-NR^4R^5$ (wherein W represents a group $-\text{CO}-$ or a C1-C6 alkylene group, o represents 0 or 1, R^4 represents a hydrogen atom, C1-C6 alkyl group, or phenylcarbamoyl group [wherein, on [[the]] a phenyl ring of the phenylcarbamoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen-substituted or unsubstituted C1-C6 alkoxy group, may be substituted], and R^5 represents: a phenyl C1-C6 alkoxy carbonyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy carbonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl C2-C6 alkenyl carbonyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl carbonyl group at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl C2-C6

alkenyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a piperidyl C1-C6 alkyl group [wherein, on the piperidine ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one phenyl group is substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)); a benzofuryl C1-C6 alkyl group (wherein, on the benzofuran ring, at least one halogen substituted or unsubstituted C1-C6 alkyl group may be substituted); a piperidinylcarbonyl C1-C6 alkyl group [wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; or a group represented by the following chemical formula (32):




(32)

wherein R⁶ represents: a C1-C6 alkyl group; a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the following group may be substituted: a C1-C4 alkylenedioxy group, a cyano group, a nitro group, an amino group that may have a C1-C6 alkyl group as a substituent, an amino substituted sulfonyl group that may have a C1-C6 alkyl group as a substituent, a C1-C6 alkoxy carbonyl group, a C1-C6 alkylthio group, a phenoxy group, a phenyl C1-C6 alkoxy group, a pyrrolidinyl group [wherein, on the pyrrolidine ring, at least one oxo group may be substituted], an imidazolyl group, an isoxazolyl group, an oxazolyl group, a phenyl C1-C6 alkyl group, a phenyl group, an amino C1-C6 alkyl group that may have a C1-C6 alkyl group as a substituent, a pyrrolidinyl C1-C6 alkoxy group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group); a phenyl C1-C6 alkoxy carbonyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy carbonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a benzofuryl C1-C6 alkyl group (wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a benzofuryl C2-C6 alkenyl group (wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenoxy C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group

consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a thiazolyl C1-C6 alkyl group (wherein, on the thiazole ring, at least one phenyl group may be substituted [wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]); a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a pyridyl C1-C6 alkyl group [wherein, on the pyridine ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; a C1-C6 alkoxy carbonyl group; a benzoyl group (wherein, on [[the]] a phenyl ring of the benzoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenyl carbamoyl group (wherein, on [[the]] a phenyl ring of the phenyl carbamoyl group, at least one selected from the group consisting of a halogen atom, a halogen

substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenylcarbamoyl group (wherein, on the phenyl ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a benzothienyl C1-C6 alkyl group (wherein, on the benzothiophene ring, at least one halogen atom may be substituted); an indolyl C1-C6 alkyl group (wherein, on the indole ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a 4H-1,3-benzodioxinyl group (wherein, on the 4H-1,3-benzodioxine ring, at least one halogen atom may be substituted); benzothienyl group; a naphthyl group; a quinolyl group; a benzothiazolyl group (wherein, on the benzothiazole ring, at least one C1-C6 alkyl group may be substituted); a 2,3-dihydro-1H-indenyl group (wherein, on the 2,3-dihydro-1H-indan ring, at least one oxo group may be substituted); or a 9H-fluorenyl group or phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted));

(ii) a group represented by the following chemical formula (33):




(wherein W and o are the same as above, a dotted line represents that the bond may be a double bond, and when the dotted line represents a double bond, it means that only R⁸ is substituted; R⁷ represents a hydrogen atom, hydroxyl group, C1-C6 alkoxy group, or phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, halogen may be substituted]; and R⁸ represents a group described in any one of the following (1) to (63):

- (1) a phenyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy substituted C1-C6 alkyl group, at least one selected from the group consisting of a C1-C4 alkylenedioxy group, a halogen atom, a cyano group, a phenyl group, a phenyl C1-C6 alkoxy group, a phenyl C2-C6 alkenyl group, a phenoxy group, a C1-C6 alkylthio group, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);
- (2) a phenyl C1-C6 alkoxy group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy group, at least one selected from the group consisting of a cyano group, a phenyl group, a C1-C6 alkoxycarbonyl group, a phenoxy group, a C1-C6 alkylthio group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);
- (3) a phenyl C2-C6 alkenyloxy group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyloxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);
- (4) a group -(W) o-NR⁹R¹⁰

(wherein W and o are the same as above, and R⁹ and R¹⁰ each identically or differently represent: a hydrogen atom; a C1-C6 alkyl group that may have a hydroxyl group as a substituent; a C1-C6 alkanoyl group; a C1-C6 alkoxy carbonyl group; a phenyl C1-C6 alkoxy carbonyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy carbonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the following group may be substituted as a substituent: a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, a halogen substituted or unsubstituted C1-C6 alkoxy group, an amino group that may have, as a substituent, a group selected from the group consisting of a C1-C6 alkanoyl group and a C1-C6 alkyl group, a C1-C6 alkoxy carbonyl group, a phenyl group, a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), an aminosulfonyl group, a 1,2,3,4-tetrahydroquinolyl group (wherein, on the 1,2,3,4-tetrahydroquinoline ring, at least one oxo group may be substituted as a substituent), a C1-C6 alkylsulfonyl group, a C3-C8 cycloalkyl group, a nitro group, a cyano group, a C1-C6 alkylthio group, a phenylsulfonyl group (wherein, on [[the]] a phenyl ring of the phenylsulfonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6

alkoxy group, may be substituted), a hydroxyl group substituted C1-C6 alkyl group, and a group represented by the following chemical formula (34):



(34)

(wherein W_1 represents a C1-C6 alkylene group, and R^{11} and R^{12} each identically or differently represent a C1-C6 alkoxy group)]; a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a C1-C4 alkylenedioxy group, a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a group $-N(R^{11A})R^{12A}$ (wherein R^{11A} and R^{12A} each identically or differently represent a hydrogen atom, C1-C6 alkyl group, or phenyl group, and R^{11A} and R^{12A} may bind to each other together with nitrogen atoms adjacent thereto directly or through nitrogen, oxygen or sulfur atoms, so as to form a 5-7 membered saturated heterocyclic ring), a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl C1-C6 alkoxy group, an amino group substituted C1-C6 alkoxy group that may have a C1-C6 alkyl group as a substituent, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C10 alkoxy group, may be substituted as a substituent]; a benzofuryl

C1-C6 alkyl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenylsulfonyl group [wherein, on ~~[[the]]~~ a phenyl ring of the phenylsulfonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, and a C1-C4 alkyleneedioxy may be substituted]; a phenoxycarbonyl group [wherein, on ~~[[the]]~~ a phenyl ring of the phenoxycarbonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl C2-C6 alkenyl group [wherein, on ~~[[the]]~~ a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a C1-C6 alkoxy substituted C1-C6 alkyl group; a C2-C6 alkenyl group; a C1-C6 alkoxy substituted C2-C6 alkanoyl group; a C3-C8 cycloalkyl substituted C1-C6 alkyl group; a phenoxy C1-C6 alkyl group [wherein, on ~~[[the]]~~ a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a benzoyl group [wherein, on ~~[[the]]~~ a phenyl ring of the benzoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6

alkoxy group, may be substituted]; a phenylcarbamoyl group [wherein, on [[the]] a phenyl ring of the phenylcarbamoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a pyridyl group; a pyridyl C1-C6 alkyl group; an imdazolyl C1-C6 alkyl group; a 1,2,3,4-tetrahydroquinolyl group [wherein, on the 1,2,3,4-tetrahydroquinoline ring, at least one selected from the group consisting of an oxo group and a C1-C6 alkyl group may be substituted as a substituent]; a quinolyl group; an indolyl group; an amino group that may have a C1-C6 alkyl group as a substituent; an indazolyl group; a naphthyl group; a C3-C8 cycloalkyl group; an amino substituted C1-C6 alkyl group that may have a C1-C6 alkyl group as a substituent; a cyano substituted C1-C6 alkyl group; a furyl substituted C1-C6 alkyl group; a group of the formula (35)



(wherein RR represents a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)); or a piperazinyll substituted C1-C6 alkyl group [wherein, on a piperazine ring, at least one phenyl group may be substituted as a substituent (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)],

further, R⁹ and R¹⁰ may bind to each other together with nitrogen atoms adjacent thereto directly or through nitrogen, oxygen or sulfur atoms, so as to form a 1,2,3,4-tetrahydroisoquinolyl group, isoindolyl group, or 5-7 membered saturated heterocyclic ring, wherein, on the heterocyclic ring, at least one selected from the following group may be substituted: a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, a halogen substituted or unsubstituted C1-C6 alkoxy group, a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a phenyl group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a benzoyl group [wherein, on [[the]] a phenyl ring of the benzoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a pyridyl C1-C6 alkyl group, a C3-C8 cycloalkyl group, a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a C1-C4 alkenedioxy group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a piperidyl C1-C6 alkyl group, a piperidyl group, a phenyl C1-C6 alkoxy group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a phenoxy group [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a

halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], an amino group wherein at least one selected from the group consisting of a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a C1-C6 alkyl group, and a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], may be substituted as a substituent, a benzoxazolyl group, a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a benzoimidazolyl group);

(5) a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);

(6) a carbamoyloxy group (wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting, of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted] may be substituted);

(7) a carbamoyloxy substituted C1-C6 alkyl group (wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group, a phenyl C1-C6 alkyl group, a C3-C8 cycloalkyl group, a naphthyl group, a 2,3-dihydro-1H-indenyl group, a 2,3-dihydrobenzofuryl group, and a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a C1-C4 alkylendioxy group, a cyano group, a phenoxy group, a C1-C6 alkylthio group, a C1-C6 alkanoyl group, a phenyl group, a phenyl C1-C6 alkyl group, a halogen atom, a halogen substituted or unsubstituted C1-C10 alkyl group, and a halogen substituted or unsubstituted C1-C10 alkoxy group, may be substituted], may be substituted);

(8) a phenoxy C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the following group may be substituted: a halogen atom; a C1-C4 alkylendioxy group; a C1-C6 alkoxycarbonyl group; a phenyl group; a phenoxy group; a pyrrolyl group; a benzothiazolyl group; a 1,2,4-triazolyl group; an imidazolyl group; an isoxazolyl group; a benzoxazolyl group; a benzotriazolyl group; a cyano group; a nitro group; a C2-C6 alkenyl group; a C1-C6 alkanoyl group; a C1-C6 alkoxycarbonyl substituted C1-C6 alkyl group; a C1-C6 alkanoyl substituted C1-C6 alkyl group; a group -N (R^{11B}) R^{12B} (wherein R^{11B} and R^{12B} each identically or

differently represent a hydrogen atom, C1-C6 alkyl group, C1-C6 alkanoyl group, or phenyl group, and R^{11B} and R^{12B} may bind to each other together with nitrogen atoms adjacent thereto directly or through nitrogen, oxygen or sulfur atoms, so as to form a 5-7 membered saturated heterocyclic ring, wherein, on the heterocyclic ring, at least one selected from the group consisting of a C1-C6 alkoxycarbonyl group and an amino group [wherein, on the amino group, at least one selected from a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) and a C1-C6 alkyl group may be substituted] may be substituted); a phenyl C1-C6 alkoxy group; a phenyl C1-C6 alkyl group; a C1-C6 alkylthio group; a C3-C8 cycloalkyl group; a halogen substituted or unsubstituted C1-C6 alkyl group; and a halogen substituted or unsubstituted C1-C10 alkoxy group);

(9) a tetrahydropyranyloxy C1-C6 alkyl group;

(10) a hydroxyl substituted C1-C6 alkyl group;

(11) a furyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on the furan ring, at least one C1-C6 alkoxycarbonyl group may be substituted);

(12) a tetrazolyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on the tetrazole ring, at least one selected from the group consisting of a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be

substituted), a phenyl C1-C6 alkyl group, and a C3-C8 cycloalkyl C1-C6 alkyl group, may be substituted);

(13) an isoxazolyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on the isoxazole ring, at least one C1-C6 alkyl group may be substituted);

(14) a benzothieryl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on the benzothiophene ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);

(15) a 1,3,4-oxadiazolyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on the 1,3,4-oxadiazole ring, a phenyl group may be substituted [wherein, on ~~[[the]]~~ a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]);

(16) a C2-C6 alkynyloxy substituted C1-C6 alkyl group;

(17) a naphthyl C1-C6 alkoxy substituted C1-C6 alkyl group;

(18) a 1,2,4-oxadiazolyl C1-C6 alkoxy substituted C1-C6 alkyl group [wherein, on the 1,2,4-oxadiazole ring, a phenyl group may be substituted];

(19) a pyridyl C1-C6 alkoxy substituted C1-C6 alkyl group [wherein, on the pyridine ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted];

(20) a thiazolyl C1-C6 alkoxy substituted C1-C6 alkyl group [wherein, on the thiazole ring, at least one selected from the group consisting of a phenyl group (wherein, on

[[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) and a C1-C6 alkyl group may be substituted];

(21) a 1,2,3,4-tetrahydronaphthyl C1-C6 alkoxy substituted C1-C6 alkyl group [wherein, on the 1,2,3,4-tetrahydronaphthalene ring, at least one C1-C6 alkyl group may be substituted];

(22) a carbamoyl C1-C6 alkoxy substituted C1-C6 alkyl group [wherein, on the amino group, at least one selected from the group consisting of a C3-C8 cycloalkyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted];

(23) a benzofuryl C1-C6 alkoxy substituted C1-C6 alkyl group [wherein, on the benzofuran ring, at least one cyano group may be substituted];

(24) a benzofuryl C1-C6 alkyl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted];

(25) a phenoxy group [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a phenyl C1-C6 alkoxy group, a C3-C8 cycloalkyl group, a C7-C10 alkoxy group, and a phenoxy group, is substituted];


(26) a naphthyl group;

- (27) a 2,3-dihydrobenzofuryloxy group [wherein, on the 2,3-dihydrobenzofuran ring, at least one oxo group may be substituted];
- (28) a benzothiazolyloxy group [wherein, on the benzothiazole ring, at least one C1-C6 alkyl group may be substituted];
- (29) a 1,2,3,4-tetrahydronaphthylloxy group [wherein, on the 1,2,3,4-tetrahydronaphthalene ring, at least one oxo group may be substituted];
- (30) a dibenzofuryloxy group;
- (31) a quinolyloxy group;
- (32) a furyl C1-C6 alkoxy group [wherein, on the furan ring, at least one C1-C6 alkoxycarbonyl group may be substituted];
- (33) a tetrazolyl C1-C6 alkoxy group [wherein, on the tetrazole ring, at least one selected from the group consisting of a phenyl C1-C6 alkyl group and a C3-C8 cycloalkyl C1-C6 alkyl group may be substituted];
- (34) a 1,2,4-oxadiazolyl C1-C6 alkoxy group [wherein, on the 1,2,4-oxadiazole ring, a phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];
- (35) a benzothieryl C1-C6 alkoxy group [wherein, on the benzothiophene ring, at least one halogen atom may be substituted];
- (36) an isoxazolyl C1-C6 alkoxy group [wherein, on the isoxazole ring, at least one C1-C6 alkyl group may be substituted];.

- (37) a 1,3,4-oxadiazolyl C1-C6 alkoxy group [wherein, on the 1,3,4-oxadiazole ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl group, at least one C1-C6 alkyl group may be substituted)];
- (38) a naphthyl C1-C6 alkoxy group;
- (39) a pyridyl C1-C6 alkoxy group (wherein, on the pyridine ring, at least one halogen substituted or unsubstituted C1-C6 alkyl group may be substituted);
- (40) a thiazolyl C1-C6 alkoxy group [wherein, on the thiazole ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];
- (41) a 1,2, 3,4-tetrahydronaphthyl C1-C6 alkoxy group (wherein, on the 1,2,3,4-tetrahydronaphthalene ring, at least one C1-C6 alkyl group may be substituted);
- (42) a phenoxy C1-C6 alkoxy group (wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);
- (43) a carbamoyl C1-C6 alkoxy group [wherein, on the amino group, at least one selected from the group consisting of a C3-C8 cycloalkyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted];

- (44) a benzofuryl C1-C6 alkoxy group (wherein, on the benzofuran ring, at least one cyano group may be substituted);
- (45) a naphthyloxy C1-C6 alkyl group (wherein, on the naphthalene ring, at least one C1-C6 alkoxy group may be substituted);
- (46) a benzothiazolyloxy C1-C6 alkyl group (wherein, on the benzothiazole ring, at least one C1-C6 alkyl group may be substituted);
- (47) a quinolyloxy C1-C6 alkyl group (wherein, on the quinoline ring, at least one C1-C6 alkyl group may be substituted);
- (48) a 2, 3-dihydrobenzofuryloxy C1-C6 alkyl group (wherein, on the 2,3-dihydrobenzofuran ring, at least one selected from the group consisting of a C1-C6 alkyl group and an oxo group may be substituted);
- (49) a 1,2,3,4-tetrahydronaphthyloxy C1-C6 alkyl group (wherein, on the 1,2,3,4-tetrahydronaphthalene ring, at least one oxo group may be substituted);
- (50) a 2, 3-dihydro-1H-indenyloxy C1-C6 alkyl group (wherein, on the 2,3-dihydro-1H-indene ring, at least one oxo group may be substituted);
- (51) a benzoxathiolanyloxy C1-C6 alkyl group (wherein, on the benzoxathiolane ring, at least one oxo group may be substituted);
- (52) an isoquinolyloxy C1-C6 alkyl group;
- (53) a pyridyloxy C1-C6 alkyl group;
- (54) a dibenzofuryloxy C1-C6 alkyl group;
- (55) a 2H-1-benzopyranyloxy C1-C6 alkyl group (wherein, on the 2H-1-benzopyran ring, at least one oxo group may be substituted);
- (56) a benzoisoxazolyloxy C1-C6 alkyl group;

- (57) a benzofurazanyloxy C1-C6 alkyl group;
- (58) a quinoxalyloxy C1-C6 alkyl group;
- (59) a C1-C6 alkoxy C1-C6 alkoxy substituted C1-C6 alkyl group;
- (60) a thienyl C1-C6 alkoxy substituted C1-C6 alkyl group (wherein, on the thiophene ring, at least one halogen atom may be substituted);
- (61) a phenyl C2-C6 alkenyloxy substituted C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyloxy substituted C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);
- (62) a quinoyl C1-C6 alkoxy substituted C1-C6 alkyl group; and
- (63) a piperidylcarbonyl C1-C6 alkoxy substituted C1-C6 alkyl group,
- and further, R^7 and R^8 together may form a group $=C(R^{29})(R^{30})$, wherein R^{29} and R^{30} each identically or differently represent a hydrogen atom, C1-C6 alkyl group, or phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; (iii) a group represented by the following chemical formula (36):



(wherein W_1 and o are the same as above, and R^{13} represents: a 2,3-dihydro-1H-indenyl group; a benzothienyl group; a phenyl C2-C10 alkenyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C10 alkenyl group, at least one selected from the group

consisting of a halogen atom, a C1-C4 alkylendioxy group, a C1-C6 alkylthio group, a benzoyl group, a cyano group, a nitro group, a C2-C6 alkanoyloxy group, an amino group that may have a C1-C6 alkyl group as a substituent, a hydroxyl group, a phenyl C1-C6 alkoxy group, a phenoxy group, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a naphthyl C2-C6 alkenyl group; a benzofuryl C1-C6 alkyl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a benzothieryl C2-C6 alkenyl group; a benzothiazolyl C2-C6 alkenyl group [wherein, on the benzothiazole ring, at least one C1-C6 alkyl group may be substituted]; a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the following group is substituted: a piperidinyl group (on the piperidine ring, at least one phenoxy group may be substituted [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]), a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, is substituted), and a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6


alkoxy group, may be substituted)); a diphenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the diphenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a benzoyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the benzoyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; an amino group wherein at least one selected from the following group may be substituted: a C1-C6 alkyl group, a C1-C6 alkoxy carbonyl group, and a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; an amino C1-C6 alkyl group wherein at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted; a benzofuryl C2-C6 alkenyl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen

substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a piperidyl group [wherein, on the piperidine ring, at least one phenyl C2-C6 alkenyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; a ferrocene substituted C1-C6 alkyl group; an indolyl C1-C6 alkyl group (wherein, on the indole ring, at least one halogen atom may be substituted); a phenyl C2-C6 alkynyl group; a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkynyl group, at least one selected from the group consisting of a C1-C4 alkylendioxy group, a phenyl group, a C1-C6 alkoxycarbonyl group, a hydroxyl group, and a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), is substituted]; a benzofuryl group [wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom and a C1-C6 alkyl group may be substituted]; a benzothiazoliny group [wherein, on the benzothiazoline ring, at least one oxo group may be substituted]; a benzothienyl group [wherein, on the benzothiophene ring, at least one halogen atom may be substituted]; a naphthyl group; a 1,2,3,4-tetrahydroquinolyl group [wherein, on the 1,2,3,4-tetrahydroquinoline ring, at least one selected from the group consisting of an oxo group and a C1-C6 alkyl group may be substituted]; a benzoisoxazolyl group; a 2,3-dihydrobenzofuryl group; a 1, 2-dihydroquinolyl group [wherein, on the 1,2-

dihydroquinoline ring, at least one oxo group may be substituted]; a 1,2,3,4-tetrahydroquinazoliny group [wherein, on the 1,2,3,4-tetrahydroquinazoline ring, at least one selected from the group consisting of an oxo group and a C1-C6 alkyl group may be substituted]; a benzocycloheptyl group; a phenoxy C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a benzothienyl substituted C1-C6 alkyl group [wherein, on the benzothiophene ring, at least one halogen atom may be substituted]; a naphthyl substituted C1-C6 alkyl group (wherein, on the naphthalene ring, at least one C1-C6 alkoxy group may be substituted); a pyridyl substituted C1-C6 alkyl group [wherein, on the pyridine ring, at least one halogen atom may be substituted]; a furyl substituted C1-C6 alkyl group [wherein, on the furan ring, at least one nitro group may be substituted]; a thienyl substituted C1-C6 alkyl group [wherein, on the thiophene ring, at least one halogen atom may be substituted]; a thiazolyl substituted C1-C6 alkyl group [wherein, on the thiazole ring, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom and a halogen substituted or unsubstituted C1-C6 alkyl group may be substituted) may be substituted]; a tetrazolyl substituted C1-C6 alkyl group [wherein, on the tetrazole ring, at least one C1-C6 alkyl group may be substituted]; an isoxazolyl substituted C1-C6 alkyl group [wherein, on the isoxazole ring, at least one C1-C6 alkyl group may be substituted]; a 1,2,4-oxadiazolyl substituted C1-C6 alkyl group [wherein, on the 1,2,4-oxadiazole ring, at least one

phenyl group may be substituted (wherein, on the phenyl ring, a C1-C6 alkyl group may be substituted)); or a benzofurazanyl substituted C1-C6 alkyl group);


(iv) a group represented by the following chemical formula (37):



(wherein R¹⁴ represents: a phenylamino group [wherein, at the N-position of the phenylamino group, a C1-C6 alkyl group may be substituted, and on the- phenyl ring of the phenylamino group, at least one halogen substituted or unsubstituted C1-C6 alkoxy group may be substituted]; a piperidyl group [wherein, on the piperidine ring, at least one selected from the group consisting of a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, a halogen substituted or unsubstituted C1-C6 alkoxy group may be substituted) and an amino group (wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted] may be substituted as a substituent) may be substituted]; a piperazinyl group [wherein, on the piperazine ring, at least one selected from the following group may be substituted: a C1-C6 alkoxy carbonyl group, a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be

substituted), a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), and a benzoyl group (wherein, on [[the]] a phenyl ring of the benzoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted); a homopiperazinyl group [wherein, on the homopiperazine ring, at least one selected from the group consisting of a C1-C6 alkoxycarbonyl group and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted]; or a phenoxy group [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen substituted or unsubstituted C1-C6 alkoxy group and a phenoxy substituted phenyl group (wherein, on [[the]] a phenyl ring of the phenoxy substituted phenyl group, at least one halogen substituted or unsubstituted C1-C6 alkoxy group may be substituted), may be substituted)];

(v) a group represented by the following chemical formula (38):




(38)

(wherein R¹³ is the same as above, and a dotted line represents that the bond may be a double bond);

(vi) a homopiperazinyl group (wherein, on the homopiperazine ring, at least one selected from the following group may be substituted: a C1-C6 alkoxycarbonyl group; a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl C1-C6 alkoxycarbonyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkoxycarbonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenylcarbamoyl group [wherein, on [[the]] a phenyl ring of the phenylcarbamoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl C2-C6 alkenyl group [wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one

selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; and a benzoyl group [wherein, on [[the]] a phenyl ring of the benzoyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]);

(vii) a group represented by the following chemical formula (39):



(wherein R¹⁹ represents a C1-C6 alkoxy group, and R²⁰ represents a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]);

(viii) a group -CHR²⁰R²¹

(wherein R²⁰ is the same as above, and R²¹ represents an amino group that may have a C1-C6 alkyl group as a substituent);

(ix) a 1,2,3,4-tetrahydroisoquinolyl group (wherein, on the 1,2,3,4-tetrahydroisoquinoline ring, at least one amino group may be substituted [wherein, on the amino group, at least one selected from the group consisting of a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl

group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) and a C1-C6 alkyl group may be substituted));

(x) an oxazolyl group (wherein, on the oxazole ring, at least one selected from the following group may be substituted: a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted], a C1-C6 alkyl group, and a piperidyl group [wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted))]);

(xi) an isoindolyl group (wherein, on the isoindoline ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);

(xii) a thiazolyl group (wherein, on the thiazole ring, at least one selected from the following group may be substituted: a phenoxy C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl group [wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or

unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a phenyl C1-C6 alkyl group [wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]; a group $-(W_1)_oNR^{31}R^{32}$ [wherein W_1 and o are the same as above, and R^{31} and R^{32} each identically or differently represent a hydrogen atom, C1-C6 alkyl group, phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), or phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; a piperazinyl group [wherein, on the piperazine ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; a piperidyl group [wherein, on the piperidine ring, at least one selected from the group consisting of a phenoxy group (wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) and a phenyl C1-C6 alkyl group

may be substituted]; and a phenoxy group [wherein, on [[the]] a phenyl ring of the phenoxy group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted]);

(xiii) a hydroxyl group substituted C1-C6 alkyl group;

(xiv) an oxazolyl C1-C6 alkyl group [wherein, on the oxazole ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];

(xv) an isoxazolyl group [wherein, on the isoxazoline ring, at least one phenyl ring may be substituted (wherein, on the phenyl ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];

(xvi) a benzoxazolyl group (wherein, on the benzoxazole ring, at least one halogen atom may be substituted);

(xvii) a phenylthio group (wherein, on [[the]] a phenyl ring of the phenylthio group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted);

(xviii) a benzoimidazolyl group [wherein, on the benzoimidazole ring, at least one selected from the group consisting of a halogen atom and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected

from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted];

(xiv) a pyrrolidinyl group [wherein, on the pyrrolidine ring, at least one amino group is substituted (wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted)];

(xx) a phenylsulfonyl group (wherein, on [[the]] a phenyl ring of the phenylsulfonyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, -may be substituted);

(xxi) an imidazolyl group [wherein, on the imidazole ring, at least one phenyl group is substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)]; and

(xxii) a phenylsulfinyl group (wherein, on [[the]] a phenyl ring of the phenylsulfinyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];

(s) an imidazolyl group (wherein, on the imidazole ring, at least one selected from the group consisting of a halogen atom and a nitro group may be substituted);

(t) an isoindolinyl group [wherein, on the isoindoline ring, at least one selected from the following group may be substituted: a C1-C6 alkoxycarbonyl group, a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a benzofuryl group, a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a phenyl C2-C6 alkenyl group (wherein, on [[the]] a phenyl ring of the phenyl C2-C6 alkenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a furyl C1-C6 alkyl group [wherein, on the furan ring, at least one phenyl group may be substituted (wherein, on [[the]] a phenyl ring of the at least one phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], a pyridyl C1-C6 alkyl group [wherein, on the pyridine ring, at least one selected from the group consisting of a furyl group and a phenyl group (wherein, on [[the]] a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted], a benzofuryl C1-C6 alkyl group (wherein, on the benzofuran ring, at least one selected

from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a benzothieryl C1-C6 alkyl group (wherein, on the benzothiophene ring, at least one halogen atom may be substituted), a benzofuryl C2-C6 alkenyl group (wherein, on the benzofuran ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), a thiazolyl group [wherein, on the thiazole ring, at least one phenyl group may be substituted (wherein, on the phenyl ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)], and a phenoxy C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenoxy C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];

(u) a benzothiazolidinyloxy group [wherein, on the benzothiazolidine ring, at least one selected from the group consisting of an oxo group and a phenyl C1-C6 alkyl group (wherein, on [[the]] a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted), may be substituted];

(v) an indolyloxy group [wherein, on the indole ring, at least one phenyl C1-C6 alkyl group may be substituted (wherein, on [[the]] a phenyl ring of the phenyl

C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)];


(w) a pyrrolidinyl group [wherein, on the pyrrolidine ring, at least one amino group is substituted (wherein, on the amino group, at least one selected from the group consisting of a C1-C6 alkyl group and a phenyl group (wherein, on ~~[[the]]~~ a phenyl ring of the phenyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) may be substituted)];

(x) an indolinyl group (wherein, on the indoline ring, at least one halogen atom may be substituted); and

(y) an indolinyl group [wherein, on the indoline ring, at least one selected from the group consisting of a phenyl C1-C6 alkyl group (wherein, on ~~[[the]]~~ a phenyl ring of the phenyl C1-C6 alkyl group, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted) and an oxo group may be substituted].

2. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R² represents a group described in any one of (a) to (c), (e) to (h), (j) to (q), and (s) to (y).

3. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R^2 represents the group described in (d).
4. (Withdrawn) The 2, 3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R^2 represents the group described in (i).
5. (Original) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R^2 represents the group described in (r).
6. (Original) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R^1 represents a hydrogen atom.
7. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R^1 represents a C1-C6 alkyl group.
8. (Withdrawn) The 2,3-dihydro-6-nitroimidazo [2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1, wherein R^1 and $-(CH_2)_nR^2$ may bind to each other to form a spiro ring together with the carbon atom adjacent thereto, represented by the following formula (30) :



(30)

wherein RRR represents a piperidyl group [wherein, on the piperidine ring, at least one phenoxy group may be substituted (wherein, on the phenyl ring, at least one selected from the group consisting of a halogen atom, a halogen substituted or unsubstituted C1-C6 alkyl group, and a halogen substituted or unsubstituted C1-C6 alkoxy group, may be substituted)].

9. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (i).

10. (Original) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (ii).

11. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (iii).

12. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (iv).

13. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (v).

14. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (vi).

15. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (vii).
16. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (viii).
17. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (ix).
18. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (x).
19. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xi).
20. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xii).
21. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xiii).

22. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xiv).
23. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xv).
24. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xvi).
25. (Withdrawn) The 2, 3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xvii).
26. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xviii).
27. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xix).
28. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R^3 represents the group described in (xx).

29. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R³ represents the group described in (xxi).
30. (Withdrawn) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 6 or 7, wherein R₃ represents the group described in (xxii).
31. (Original) The 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, or a pharmacologically acceptable salt thereof according to claim 1, which is selected from the group consisting of:

2-methyl-6-nitro-2-{4-[4-(4-trifluoromethylbenzyloxymethyl)piperidin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-{4-[4-(4-trifluoromethylbenzyloxymethyl)piperidin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-{4-[4-(4-trifluoromethylbenzyloxymethyl)piperidin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-{4-[4-(4-chlorophenoxy)methyl]piperidin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-{4-[4-(4-chlorophenoxy)methyl]piperidin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-{4-[4-(4-chlorophenoxy)methyl]piperidin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-{4-[4-(4-trifluoromethylcinnamyl)piperazin-1-yl]phenoxy}methyl-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-[4-[4-(4-trifluoromethylcinnamyl)piperazin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-[4-[4-(4-trifluoromethylcinnamyl)piperazin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-[4-[4-(4-trifluoromethoxycinnamyl)piperazin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-[4-[4-(4-trifluoromethoxycinnamyl)piperazin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-[4-[4-(4-trifluoromethoxycinnamyl)piperazin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-[4-[4-(4-trifluoromethylphenoxy)methyl]piperidin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-[4-[4-(4-trifluoromethylphenoxy)methyl]piperidin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-[4-[4-(4-trifluoromethylphenoxy)methyl]piperidin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

6-nitro-2-[4-[4-(4-trifluoromethoxybenzyloxy)piperidin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-6-nitro-2-[4-[4-(4-trifluoromethoxybenzyloxy)piperidin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-6-nitro-2-[4-[4-(4-trifluoromethoxybenzyloxy)piperidin-1-yl]phenoxy]methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

6-nitro-2-{4-[4-(4-trifluoromethoxyphenoxy)methyl]piperidin-1-yl}phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-6-nitro-2-{4-[4-(4-trifluoromethoxyphenoxy)methyl]piperidin-1-yl}phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-6-nitro-2-{4-[4-(4-trifluoromethoxyphenoxy)methyl]piperidin-1-yl}phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

6-nitro-2-{4-[4-(4-trifluoromethoxybenzyl)piperidin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-6-nitro-2-{4-[4-(4-trifluoromethoxybenzyl)piperidin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-6-nitro-2-{4-[4-(4-trifluoromethoxybenzyl)piperidin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-{4-[4-(4-trifluoromethoxybenzyl)piperidin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-{4-[4-(4-trifluoromethoxybenzyl)piperidin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-{4-[4-(4-trifluoromethoxybenzyl)piperidin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-{4-[4-(4-trifluoromethylphenyl)piperazin-1-yl]piperidin-1-yl}phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-{4-[4-(4-trifluoromethylphenyl)piperazin-1-yl]piperidin-1-yl}phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-[4-{4-[4-(4-trifluoromethylphenyl)piperazin-1-yl]piperidin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-[4-{4-[4-(4-trifluoromethoxyphenoxy)benzyl] piperazin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-[4-{4-[4-(4-trifluoromethoxyphenoxy)benzyl]piperazin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-[4-{4-[4-(4-trifluoromethoxyphenoxy)benzyl]piperazin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

6-nitro-2-[4-{4-[3-(4-trifluoromethoxyphenyl)propyl]piperidin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-6-nitro-2-[4-{4-[3-(4-trifluoromethoxyphenyl)propyl]piperidin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-6-nitro-2-[4-{4-[3-(4-trifluoromethoxyphenyl) propyl] piperidin-1-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-[4-[2-(4-trifluoromethoxyphenyl)oxazol-4-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-[4-[2-(4-trifluoromethoxyphenyl)oxazol-4-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-[4-[2-(4-trifluoromethoxyphenyl)oxazol-4-yl]phenoxyethyl]-2,3-dihydroimidazo[2,1-b]oxazole,

6-nitro-2-{4-[4-(4-chlorophenoxymethyl)piperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-6-nitro-2-{4-[4-(4-chlorophenoxymethyl)piperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-6-nitro-2-{4-[4-(4-chlorophenoxymethyl)piperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b] oxazole,

2-methyl-6-nitro-2-{4-[4-(5-trifluoromethylbenzofuran-2-yl)methylpiperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-{4-[4-(5-trifluoromethylbenzofuran-2-yl)methylpiperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-{4-[4-(5-trifluoromethylbenzofuran-2-yl)methylpiperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

2-methyl-6-nitro-2-{4-[2-(4-chlorophenyl)oxazol-4-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

(R)-2-methyl-6-nitro-2-{4-[2-(4-chlorophenyl)oxazol-4-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

(S)-2-methyl-6-nitro-2-{4-[2-(4-chlorophenyl)oxazol-4-yl]phenoxymethyl}-2,3-dihydroimidazo[2,1-b]oxazole,

6-nitro-2-{4-[4-(4-trifluoromethylphenoxymethyl)piperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo [2,1-b]oxazole,

(R)-6-nitro-2-{4-[4-(4-trifluoromethylphenoxymethyl)piperidin-1-yl]phenoxymethyl}-2,3-dihydroimidazo [2,1-b]oxazole,

(S)-6-nitro-2-{4-[4-(4-trifluoromethylphenoxy)methyl]piperidin-1-yl}phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,
2-methyl-6-nitro-2-{4-[4-(4-bromocinnamyl)piperazin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,
(R)-2-methyl-6-nitro-2-{4-[4-(4-bromocinnamyl)piperazin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,
(S)-2-methyl-6-nitro-2-{4-[4-(4-bromocinnamyl)piperazin-1-yl]phenoxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,
2-methyl-6-nitro-2-[2-(4-trifluoromethoxyphenyl)-1,2,3,4-tetrahydroisoquinolin-6-yloxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole,
(R)-2-methyl-6-nitro-2-[2-(4-trifluoromethoxyphenyl)-1,2,3,4-tetrahydroisoquinolin-6-yloxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole, and
(S)-2-methyl-6-nitro-2-[2-(4-trifluoromethoxyphenyl)-1,2,3,4-tetrahydroisoquinolin-6-yloxy)methyl]-2,3-dihydroimidazo[2,1-b]oxazole.

32. (Original) An antituberculous agent, characterized in that said agent comprises the 2,3-dihydro-6-nitroimidazo[2,1-b]oxazole compound, an optically active form thereof, or a pharmacologically acceptable salt thereof according to claim 1.

33-35 (Cancelled).